CHANGE CONTROL INDEX

LTRS	REVISIONS		
ORIGINATOR	CHECKER	ENGR APP	MATL APP
			INITIAL RELEASE
CHKC14-1B347-AA-00-FNA-ECN/1 RELEASED			20180921
FTSI	RWAGNE43	DATOVSKI	--

TRANSIT INDEX

TRANSIT	Page
MODEL LINEUP	
PASSENGER WAGON RWB, LOW ROOF & MEDIUM ROOF	2
PASSENGER WAGON LWB, LOW ROOF & MEDIUM ROOF	3
PASSENGER WAGON LWB, HIGH ROOF	4
VAN RWB, LOW ROOF & MEDIUM ROOF	5
VAN LWB, LOW ROOF & MEDIUM ROOF	6
VAN LWB, HIGH ROOF	7
CHASSIS CAB,LOW ROOF	8
CUTAWAY –LOW ROOF	9
DIMENSIONAL DATA	
REGULAR WB 8-PASSENGER WAGON	10
REGULAR WB 10-PASSENGER WAGON	11
REGULAR WB 12-PASSENGER WAGON	12
LONG WB 12-PASSENGER WAGON	13
LONG WB 15-PASSENGER WAGON	14
EXTENDED LENGTH LONG WB 15-PASSENGER WAGON	15
2-PASSENGER VAN	16
WAGON / VAN	17-18
138” WB CHASSIS CAB / CUTAWAY	19
156” WB CHASSIS CAB / CUTAWAY	20
178” WB CHASSIS CAB / CUTAWAY	21
CHASSIS CAB / CUTAWAY	22
REAR FRAME EXTENSION CHASSIS CAB / CUTAWAY	23
BACK OF CAB MOUNTING HOLES CUTAWAY	24
FUEL TANKS ALL MODELS	25
REAR AXLE TRACK DIMENSIONS SRW & DRW	26
EXHAUST EXTENSION KIT CHASSIS CAB / CUTAWAY	27
FRONT SURFACE AREA WORKSHEET CHASSIS CAB / CUTAWAY	28-29
SEAT H-POINT ALL MODELS	30
AIRBAG OCCUPANT PROTECTION ZONES TYPICAL	31
ELECTRICAL TRAILER TOW WIRING HARNESS	32-33

WARNING:
During the production and servicing of these vehicles, due care should be taken to avoid damaging of safety or emissions related systems such as the braking system, fuel lines, sensors, catalysts, etc. through contacting them while working on adjacent areas of the vehicle. Inadvertent damage can also occur due to adjacent welding/cutting operations, people standing near/on unprotected systems while performing other tasks.

TRANSIT
MODEL LINEUP
WAGON REGULAR WHEELBASE

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Wagon Regular WB, Low Roof (82.2")

Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Max. Std. Spring Select GAWR		Base Curb Weight (lbs.)		
					Front	Rear	Front	Rear	Total
129.9	3.7L	8550	3000	TBD	4130	5070	2906	2588	5494
129.9	3.5L	8550	2920	TBD	4130	5070	2989	2577	5566
129.9	3.7L	8550	2890	TBD	4130	5070	2896	2702	5598
129.9	3.5L	8550	2810	TBD	4130	5070	2979	2697	5676

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Wagon Regular WB, Medium Roof (98.7")

Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Max. Std. Spring Select GAWR		Base Curb Weight (lbs.)		
					Front	Rear	Front	Rear	Total
129.9	3.7L	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
129.9	3.5L	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
129.9	3.7L	8550	2800	TBD	4130	5070	2974	2717	5691
129.9	3.5L	8550	2740	TBD	4130	5070	3020	2729	5749
129.9	3.7L	8550	2690	TBD	4130	5070	2964	2837	5801
129.9	3.5L	8550	2630	TBD	4130	5070	3010	2849	5859

TRANSIT
MODEL LINEUP
WAGON LONG WHEELBASE

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Wagon Long WB, Low Roof (82.4")

Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	Max. Std. Spring Select GAWR (lbs.)		Base Curb Weight (lbs.)		
				Front	Rear	Front	Rear	Total
147.6	3.7L	9000	3030	4130	5730	3086	2820	5906
147.6	3.5L	9000	2990	4130	5730	3156	2790	5946
147.6	3.2L	9250	2960	4130	5730	3386	2837	6223
147.6	3.7L	9000	2970	4130	5730	3113	2848	5961
147.6	3.5L	9000	2930	4130	5730	3183	2818	6001
147.6	3.2L	9250	2900	4130	5730	3413	2865	6278
147.6	3.7L	TBD	TBD	TBD	TBD	TBD	TBD	TBD
147.6	3.5L	9000	2810	4130	5730	3122	2999	6121
147.6	3.2L	9250	TBD	4130	5730	3353	3045	6398
147.6	3.5L	9000	2760	4130	5730	3149	3027	6176
147.6	3.2L	9250	2730	4130	5730	3380	3073	6453

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Wagon Long WB, Medium Roof (99.2")

Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Max. Std. Spring Select GAWR		Base Curb Weight (lbs.)		
					Front	Rear	Front	Rear	Total
147.6	3.7L	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
147.6	3.5L	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
147.6	3.7L	9000	2900	TBD	4130	5730	3132	2907	6039
147.6	3.5L	9000	2840	TBD	4130	5730	3206	2884	6090
147.6	3.2L	9250	2780	TBD	4130	5730	3410	2993	6403
147.6	3.7L	9000	2840	TBD	4130	5730	3159	2935	6094
147.6	3.5L	9000	2790	TBD	4130	5730	3233	2912	6145
147.6	3.2L	9250	2720	580	4130	5730	3437	3021	6458
147.6	3.7L	9150	2880	TBD	4130	5730	3099	3108	6207
147.6	3.5L	9150	2830	TBD	4130	5730	3170	3085	6255
147.6	3.2L	9400	2750	TBD	4130	5730	3408	3167	6575
147.6	3.7L	9150	2820	TBD	4130	5730	3126	3136	6262
147.6	3.5L	9150	2770	TBD	4130	5730	3197	3113	6310
147.6	3.2L	9400	2700	297	4130	5730	3436	3195	6630

TRANSIT
MODEL LINEUP
WAGON LWB & LWB-EL, HIGH ROOF

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Wagon Long WB, High Roof (108.6")

Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Max. Std. Spring Select GAWR		Base Curb Weight (lbs.)		
					Front	Rear	Front	Rear	Total
147.6	3.7L	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
147.6	3.5L	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
147.6	3.7L	9000	2820	TBD	4130	5730	3153	2959	6112
147.6	3.5L	9000	2750	TBD	4130	5730	3240	2948	6188
147.6	3.2L	9250	2690	TBD	4130	5730	3430	3063	6493
147.6	3.7L	9000	2770	TBD	4130	5730	3180	2987	6167
147.6	3.5L	9000	2690	TBD	4130	5730	3267	2976	6243
147.6	3.2L	9250	2630	415	4130	5730	3457	3091	6548
147.6	3.7L	9150	2800	TBD	4130	5730	3112	3174	6286
147.6	3.5L	9150	2720	TBD	4130	5730	3196	3169	6365
147.6	3.2L	9400	2660	TBD	4130	5730	3428	3237	6665
147.6	3.7L	9150	2740	TBD	4130	5730	3139	3202	6341
147.6	3.5L	9150	2660	TBD	4130	5730	3223	3197	6420
147.6	3.2L	9400	2610	256	4130	5730	3456	3265	6720

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Wagon Long WB Extended Length, High Roof (107.7")

Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Max. Std. Spring Select GAWR		Base Curb Weight (lbs.)		
					Front	Rear	Front	Rear	Total
147.6	3.7L	10360	3510	—	4130	6725	2993	3782	6774
147.6	3.5L	10360	3470	—	4130	6725	3061	3755	6816
147.6	3.2L	10360	3150	—	4130	6725	3309	3821	7130

TRANSIT
MODEL LINEUP
VAN REGULAR WHEELBASE

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Van Regular WB, Low Roof (83.6")

Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Max. Std. Spring Select GAWR (lbs.)		Base Curb Weight (lbs.)		
					Front	Rear	Front	Rear	Total
129.9	3.7L	8600	3670	TBD	4130	5070	2793	2078	4873
129.9	3.5L	8600	3600	TBD	4130	5070	2877	2073	4950
129.9	3.2L	8600	3270	TBD	4130	5070	3119	2155	5274
129.9	3.7L	9000	4070	TBD	4130	5515	2793	2080	4873
129.9	3.5L	9000	4000	TBD	4130	5515	2877	2073	4950
129.9	3.2L	9000	3670	TBD	4130	5515	3119	2155	5274
129.9	3.7L	9500	4570	—	4130	5750	2793	2080	4873
129.9	3.5L	9500	4500	—	4130	5750	2877	2073	4950

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Van Regular WB, Medium Roof (100.8")

Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Max. Std. Spring Select GAWR (lbs.)		Base Curb Weight (lbs.)		
					Front	Rear	Front	Rear	Total
129.9	3.7L	8600	3540	TBD	4130	5070	2821	2184	5005
129.9	3.5L	8600	3440	TBD	4130	5070	2906	2194	5100
129.9	3.2L	8600	3140	TBD	4130	5070	3137	2269	5406
129.9	3.7L	9000	3950	TBD	4130	5515	2821	2179	5000
129.9	3.5L	9000	3840	TBD	4130	5515	2910	2193	5103
129.9	3.2L	9000	3450	TBD	4130	5515	3162	2328	5490
129.9	3.7L	9500	4450	—	4130	5750	2821	2179	5000
129.9	3.5L	9500	4340	—	4130	5750	2910	2193	5103

TRANSIT
MODEL LINEUP
VAN LONG WHEELBASE

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Van Long WB, Low Roof (83.2")

Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Max. Std. Spring Select GAWR (lbs.)		Base Curb Weight (lbs.)		
					Front	Rear	Front	Rear	Total
147.6	3.7L	8600	3550	TBD	4130	5070	2918	2080	4998
147.6	3.5L	8600	3470	TBD	4130	5070	2993	2082	5075
147.6	3.2L	8600	3140	TBD	4130	5070	3246	2153	5399
147.6	3.7L	9000	3950	TBD	4130	5515	2918	2080	4998
147.6	3.5L	9000	3870	TBD	4130	5515	2993	2082	5075
147.6	3.2L	9000	3540	TBD	4130	5515	3246	2153	5399
147.6	3.2L	9250	3790	TBD	4130	5515	3246	2153	5399
147.6	3.7L	9500	4450	TBD	4130	5515	2918	2080	4998
147.6	3.5L	9500	4370	TBD	4130	5515	2993	2082	5075

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Van Long WB, Medium Roof (100.7")

Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Max. Std. Spring Select GAWR (lbs.)		Base Curb Weight (lbs.)		
					Front	Rear	Front	Rear	Total
147.6	3.7L	8600	3390	TBD	4130	5070	2949	2201	5150
147.6	3.5L	8600	3320	TBD	4130	5070	3030	2194	5224
147.6	3.2L	8600	3020	TBD	4130	5070	3272	2252	5524
147.6	3.7L	9000	3790	TBD	4130	5515	2949	2201	5150
147.6	3.5L	9000	3720	TBD	4130	5515	3030	2194	5224
147.6	3.2L	9000	3420	TBD	4130	5515	3272	2252	5524
147.6	3.2L	9250	3670	TBD	4130	5515	3272	2252	5524
147.6	3.7L	9500	4290	TBD	4130	5515	2949	2201	5150
147.6	3.5L	9500	4220	TBD	4130	5515	3030	2194	5224

TRANSIT
MODEL LINEUP
VAN LWB & LWB-EL, HIGH ROOF

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Van Long WB, High Roof (110.1")

Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Max. Std. Spring Select GAWR (lbs.)		Base Curb Weight (lbs.)		
					Front	Rear	Front	Rear	Total
147.6	3.7L	9000	3710	TBD	4130	5515	2970	2263	5233
147.6	3.5L	9000	3610	TBD	4130	5515	3061	2267	5328
147.6	3.2L	9000	3320	TBD	4130	5515	3293	2323	5616
147.6	3.2L	9250	3570	TBD	4130	5515	3293	2323	5616
147.6	3.7L	9500	4210	TBD	4130	5515	2970	2263	5233
147.6	3.5L	9500	4110	TBD	4130	5515	3061	2267	5328

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Van Long WB Extended Length, High Roof (109.4")

Wheelbase (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	ARC Weight (lbs.)	Max. Std. Spring Select GAWR (lbs.)		Base Curb Weight (lbs.)		
					Front	Rear	Front	Rear	Total
147.6	3.7L	9000	3500	TBD	4130	5515	2827	2609	5436
147.6	3.5L	9000	3420	TBD	4130	5515	2907	2614	5521
147.6	3.2L	9000	3130	TBD	4130	5515	3158	2647	5805
147.6	3.7L	9500	4000	TBD	4130	6000	2827	2609	5436
147.6	3.5L	9500	3920	TBD	4130	6000	2907	2614	5521
147.6	3.2L	9500	3630	TBD	4130	6000	3158	2647	5805
147.6 DRW	3.7L	9950	4230	TBD	4130	7275	2858	2800	5658
147.6 DRW	3.5L	9950	4180	TBD	4130	6835	2925	2785	5710
147.6 DRW	3.2L	9950	3880	TBD	4130	6835	3157	2848	6005
147.6 DRW	3.7L	10360	4640	TBD	4130	7275	2858	2800	5658
147.6 DRW	3.5L	10360	4590	TBD	4130	7275	2925	2785	5710
147.6 DRW	3.2L	10360	4290	TBD	4130	7275	3157	2848	6005

TRANSIT
MODEL LINEUP
CHASSIS CAB

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Chassis Cab 138”/156”/178” WB, Low Roof (87.2")

Length (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	Max. Std. Spring Select GAWR (lbs.)		Base Curb Weight (lbs.)		
				Front	Rear	Front	Rear	Total
138.0	3.7L	9000	4820	4130	5515	2866	1266	4132
138.0	3.7L	9500	5320	4130	5750	2866	1266	4132
138.0 DRW	3.7L	9950	5580	4130	6500	2890	1431	4321
138.0 DRW	3.7L	10360	5990	4130	7275	2890	1431	4321
138.0 DRW	3.2L	10360	5650	4130	7275	3191	1470	4661
155.7	3.7L	9000	4760	4130	5515	2896	1296	4192
155.7	3.7L	9500	5260	4130	6000	2896	1296	4192
155.7 DRW	3.7L	9950	5530	4130	6835	2944	1427	4371
155.7 DRW	3.7L	10360	5940	4130	7275	2944	1427	4371
155.7 DRW	3.2L	10360	5590	4130	7275	3224	1497	4721
178.0 DRW	3.7L	9950	5500	4130	6835	2982	1421	4403
178.0 DRW	3.7L	10360	5910	4130	7275	2982	1421	4403
178.0	3.2L	10360	5490	4130	7275	3254	1562	4816

TRANSIT
MODEL LINEUP
CUTAWAY

GVWR/PAYLOAD/ARC/GAWR/BASE CURB WEIGHT - Cutaway 138”/156”/178” WB, Low Roof (87.3")

Length (in.)	Engine	Max. GVWR (lbs.)	Max. Payload (lbs.)	Max. Std. Spring Select GAWR (lbs.)		Base Curb Weight (lbs.)		
				Front	Rear	Front	Rear	Total
138.0	3.7L	9000	4850	4130	5515	2850	1252	4102
138.0	3.7L	9500	5350	4130	5750	2850	1252	4102
138.0 DRW	3.7L	9950	5610	4130	6500	2874	1417	4291
138.0 DRW	3.7L	10360	6020	4130	7275	2874	1417	4291
138.0 DRW	3.2L	10360	5680	4130	7275	3176	1455	4631
155.7	3.7L	9000	4790	4130	5515	2880	1282	4162
155.7	3.7L	9500	5290	4130	6000	2880	1282	4162
155.7 DRW	3.7L	9950	5590	4130	6835	2910	1404	4314
155.7 DRW	3.7L	10360	6000	4130	7275	2910	1404	4314
155.7 DRW	3.2L	10360	5620	4130	7275	3212	1479	4691
178.0 DRW	3.7L	9950	5490	4130	6835	2982	1424	4406
178.0 DRW	3.7L	10360	5900	4130	7275	2982	1424	4406
178.0 DRW	3.2L	10360	5520	4130	7275	3238	1548	4786

TRANSIT
DIMENSIONAL DATA
REGULAR WB 8-PASSENGER WAGON



SEC **A**



SEC **B**



SEC **C**





SEC **D**
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE

NOTE — [ ] DIMENSIONS ARE INCHES.
(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
REGULAR WB 10-PASSENGER WAGON



SEC **A**



SEC **B**



SEC **C**



SEC
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE





SEC **D**

NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
REGULAR WB 12-PASSENGER WAGON



SEC **A**



SEC **B**



SEC **C**



SEC **D**
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE





SEC **D**

NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
LONG WB 12-PASSENGER WAGON













SEC
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE

NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
LONG WB 15-PASSENGER WAGON



SEC **A**



SEC **B**



SEC **C**



SEC **D**



SEC **F**
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE





SEC

NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
EXTENDED LENGTH LONG WB 15-PASSENGER WAGON



SEC **A**



SEC **B**



SEC **C**



SEC **D**



SEC **F**
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE





SEC

NOTE — [ ] DIMENSIONS ARE INCHES.
(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
2-PASSENGER VAN



SEC **A**



SEC **B**



SEC **C**





SEC **D**
TYPICAL OF ALL MODELS
ENGINE COVER TO FRONT SEATS
MINIMUM CLEARANCE
SEE CHART ON NEXT PAGE

NOTE — [ ] DIMENSIONS ARE INCHES.
(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
WAGON / VAN

ENGLISH UNITS

	2019 Transit																							
	Wheelbase (Medium, Long, Jumbo)	Medium	Medium	Medium	Medium	Medium	Medium	Long	Long	Long	Long	Long	Long	Long	Long	Long	Long	Jumbo	Jumbo	Medium	Medium	Long	Long	Long	Jumbo
	Bus / Van	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Van	Transit Van	Transit Van	Transit Van	Transit Van	Transit Van
	Roof (Low, Medium, High)	Low	Medium	Low	Low	Medium	Medium	Low	Medium	High	Low	Low	Medium	Medium	High	High	High	High	High	Low	Medium	Low	Medium	High	High
	Passenger Capacity (8, 10, 12, 15)	2	2	8	10	8	10	2	2	2	12	15	12	15	12	15	2	15	2	2	2	2	2	2	2
	Rows of Seating	**1.0**	**1.0**	**3 (2-3-3)**	**4 (2-2-3-3)**	**3 (2-3-3)**	**4 (2-2-3-3)**	**1.0**	**1.0**	**1.0**	**4 (2-3-3-4)**	**5 (2-3-3-3-4)**	**4 (2-3-3-4)**	**5 (2-3-3-3-4)**	**4 (2-3-3-4)**	**5 (2-3-3-3-4)**	**1.0**	**5 (2-3-3-3-4)**	**1**	**1**	**1**	**1**	**1**	**1**
Dim Code	**Exterior**																								
L101	Wheelbase [in]	129.9	129.9	129.9	129.9	129.9	129.9	147.6	147.6	147.6	147.6	147.6	147.6	147.6	147.6	147.6	147.6	147.6	147.6	129.9	129.9	147.6	147.6	147.6	147.6
L103	Length [in]	219.9	217.8	219.9	219.9	217.8	217.8	237.6	235.5	235.5	237.6	237.6	235.5	235.5	235.5	235.5	263.9	263.9	219.9	217.8	237.6	235.5	235.5	263.9	
L103	Length with optional extended bumper [mm]	-	219.9	-	-	219.9	219.9	-	237.6	237.6	-	-	237.6	237.6	237.6	237.6	266.1	266.1	-	219.9	-	237.6	237.6	266.1	
H101C-Ford	Height [in]	82.2	98.7	82.2	82.2	98.7	98.7	82.4	99.2	108.6	82.4	82.4	99.2	99.2	108.6	108.6	107.7	107.7	83.6	100.8	83.2	100.7	110.1	109.4	
W103	Width - Excluding Mirrors [in]	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3 / 83.7	
W410	Width - Including Mirrors [in]	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	97.4	
W411	Width - Mirrors Folded [in]	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	83.2	
W101C-Ford	Front Track [in]	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2 / 68.5	
W102C-Ford	Rear Track [in]	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6	68.6 / 65.7	
L104	Front Overhang [in]	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	40.3	
L105	Rear Overhang [in]	49.7	47.6	49.7	49.7	47.6	47.6	49.7	47.6	47.6	49.7	49.7	47.6	47.6	47.6	47.6	76.0	76.0	49.7	47.6	49.7	47.6	47.6	76.0	
L105	Rear Overhang with optional extended bumper [mm]	-	49.7	-	-	49.7	49.7	-	49.7	49.7	-	-	49.7	49.7	49.7	49.7	78.1	78.1	-	49.7	-	49.7	49.7	78.1	
H196	Load Height (Curb) [in]	28.2	28.2	28.2	28.2	28.2	28.2	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	27.8	27.8	28.9	28.9	28.7	28.7	28.7	28.0	
H508	Side Cargo Door Opening Height [in]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49.6	63.0	49.6	63.0	63.0	63.0	
L508	Side Cargo Door Opening Width - Hinged [in]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51.2	51.2	51.2	51.2	51.2	51.2	
L508	Side Cargo Door Opening Width - Sliding [in]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51.2	51.2	51.2	51.2	51.2	51.2	
H202	Rear Cargo Door Opening Height [in]	46.9	62.8	46.9	46.9	62.8	62.8	46.9	62.8	72.2	46.9	46.9	62.8	62.8	72.2	72.2	72.2	72.2	49.5	64.9	49.5	64.9	74.3	74.3	
W203	Rear Cargo Door Opening Width [in]	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8	59.8	61.7	61.7	61.7	61.7	61.7	61.7	
	Interior																								
H61	Head Room - First Row [in]	40.8	52.0	40.8	40.8	52.0	52.0	40.8	52.0	56.6	40.8	40.8	52.0	52.0	56.6	56.6	56.6	56.6	40.8	52.0	40.8	52.0	56.6	56.6	
H63	Head Room - Second Row [in]	-	-	41.1	41.1	55.8	55.8	-	-	-	41.1	41.1	55.8	55.8	65.2	65.2	-	65.2	-	-	-	-	-	-	
H86	Head Room - Third Row [in]	-	-	40.6	40.6	55.8	55.8	-	-	-	40.6	40.6	55.8	55.8	65.2	65.2	-	65.2	-	-	-	-	-	-	
H86-4th	Head Room - Fourth Row [in]	-	-	-	38.7	-	55.8	-	-	-	38.7	38.7	55.8	55.8	65.2	65.2	-	65.2	-	-	-	-	-	-	
H86-5th	Head Room - Fifth Row [in]	-	-	-	-	-	-	-	-	-	-	38.1	-	52.6	-	61.3	-	61.3	-	-	-	-	-	-	
L33	Maximum Leg Room - First Row [in]	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	41.3	
L34	Leg Room - First Row [in]	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	
L51	Leg Room - Second Row [in]	-	-	33.7	33.7	33.7	33.7	-	-	-	33.7	33.7	33.7	33.7	33.7	33.7	-	33.7	-	-	-	-	-	-	
L86	Leg Room - Third Row [in]	-	-	35.6	35.6	35.6	35.6	-	-	-	35.6	35.6	35.6	35.6	35.6	35.6	-	35.6	-	-	-	-	-	-	
L86-4th	Leg Room - Fourth Row [in]	-	-	-	35.6	-	35.6	-	-	-	35.6	35.6	35.6	35.6	35.6	35.6	-	35.6	-	-	-	-	-	-	
L86-5th	Leg Room - Fifth Row [in]	-	-	-	-	-	-	-	-	-	-	35.6	-	35.6	-	35.6	-	35.6	-	-	-	-	-	-	
W5	Hip Room - First Row [in]	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	60.7	
W6	Hip Room - Second Row [in]	-	-	69.6	69.6	69.6	69.6	-	-	-	69.6	69.6	69.6	69.6	69.6	69.6	-	69.6	-	-	-	-	-	-	
W86	Hip Room - Third Row [in]	-	-	67.3	67.3	67.3	67.3	-	-	-	67.3	67.3	67.3	67.3	67.3	67.3	-	67.3	-	-	-	-	-	-	
W86-4th	Hip Room - Fourth Row [in]	-	-	-	68.0	-	68.0	-	-	-	68.0	68.0	68.0	68.0	68.0	68.0	-	68.0	-	-	-	-	-	-	
W86-5th	Hip Room - Fifth Row [in]	-	-	-	-	-	-	-	-	-	-	68.0	-	68.0	-	68.0	-	68.0	-	-	-	-	-	-	
W3	Shoulder Room - First Row [in]	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	67.9	
W4	Shoulder Room - Second Row [in]	-	-	71.4	71.4	71.4	71.4	-	-	-	71.4	71.4	71.4	71.4	71.4	71.4	-	71.4	-	-	-	-	-	-	
W85	Shoulder Room - Third Row [in]	-	-	67.0	67.0	67.0	67.0	-	-	-	67.0	67.0	67.0	67.0	67.0	67.0	-	67.0	-	-	-	-	-	-	
W85-4th	Shoulder Room - Fourth Row [in]	-	-	-	67.8	-	67.8	-	-	-	67.8	67.8	67.8	67.8	67.8	67.8	-	67.8	-	-	-	-	-	-	
W85-5th	Shoulder Room - Fifth Row [in]	-	-	-	-	-	-	-	-	-	-	67.8	-	67.8	-	67.8	-	67.8	-	-	-	-	-	-	
L202	Cargo Length Front (at Floor) [in]	124.0	124.0	124.0	124.0	124.0	124.0	141.7	141.7	141.7	141.7	141.7	141.7	141.7	141.7	141.7	170.2	170.2	126.0	126.0	143.7	143.7	143.7	172.2	
L204	Cargo Length Front (at Belt) [in]	115.1	115.1	115.1	115.1	115.1	115.1	132.8	132.8	132.8	132.8	132.8	132.8	132.8	132.8	132.8	161.3	161.3	115.9	115.9	133.6	133.6	133.6	162.0	
W201	Cargo Width Between Wheelhouse [in]	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	53.7	54.8	54.8	54.8	54.8	54.8	54.8 / 45.4	
H505	Cargo Height Maximum [in]	52.8	67.6	52.8	52.8	67.6	67.6	52.8	67.6	77.0	52.8	52.8	67.6	67.6	77.0	77.0	77.0	77.0	56.9	72.0	56.9	72.0	81.5	81.5	
	Cargo Capacity																								
V6	Cargo Volume Behind First Row (SUV/Van)	224.5	292.7	224.5	224.5	292.7	292.7	256.4	336.1	382.6	256.4	223.5	336.1	303.1	382.6	349.6	461.9	425.4	246.7	315.2	277.7	357.1	404.3	487.2	
V7	Cargo Volume Behind Second Row (SUV/Van)	-	-	151.8	151.8	197.9	197.9	-	-	-	183.0	150.0	239.8	206.8	273.0	240.1	-	313.1	-	-	-	-	-	-	
V9	Cargo Volume Behind Third Row (SUV/Van)	-	-	94.2	94.2	125.0	125.0	-	-	-	124.5	91.5	166.9	133.9	190.0	157.0	-	230.0	-	-	-	-	-	-	
V12	Cargo Volume Behind Fourth Row (SUV/Van)	-	-	-	-	-	-	-	-	-	70.1	48.9	93.9	72.8	107.0	85.8	-	184.0	-	-	-	-	-	-	
V13	Cargo Volume Behind Fifth Row (SUV/Van)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.5	-	-	-	-	-	-	
V14	Cargo Volume - Max (Van)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	285.0	363.8	316.1	405.6	459.2	542.2	
V15	Cargo Volume - Front Seat (Van)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38.4	48.6	38.4	48.6	54.9	54.9	

NOTE — [ ] DIMENSIONS ARE ENGLISH.
(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
WAGON / VAN

METRIC UNITS

	2019 Transit																							
	Wheelbase (Medium, Long, Jumbo)	Medium	Medium	Medium	Medium	Medium	Medium	Long	Long	Long	Long	Long	Long	Long	Long	Long	Jumbo	Jumbo	Medium	Medium	Long	Long	Long	Jumbo
	Bus / Van	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Bus	Transit Van	Transit Van	Transit Van	Transit Van	Transit Van	Transit Van
	Roof (Low, Medium, High)	Low	Medium	Low	Low	Medium	Medium	Low	Medium	High	Low	Low	Medium	Medium	High	High	High	High	Low	Medium	Low	Medium	High	High
	Passenger Capacity (8, 10, 12, 15)	2.0	2.0	8	10	8	10	2	2	2	12	15	12	15	12	15	2	15	2	2	2	2	2	2
	Rows of Seating	1.0	1.0	3 (2-3-3)	4 (2-2-3-3)	3 (2-3-3)	4 (2-2-3-3)	1.0	1.0	1.0	4 (2-3-3-4)	5 (2-3-3-3-4)	4 (2-3-3-4)	5 (2-3-3-3-4)	4 (2-3-3-4)	5 (2-3-3-3-4)	1.0	5 (2-3-3-3-4)	1	1	1	1	1	1
Dim Code	Exterior																							
L101	Wheelbase [mm]	3300.0	3300.0	3300.0	3300.0	3300.0	3300.0	3750.0	3750.0	3750.0	3750.0	3750.0	3750.0	3750.0	3750.0	3750.0	3750.0	3750.0	3300.0	3300.0	3750.0	3750.0	3750.0	3750.0
L103	Length [mm]	5585.0	5531.0	5585.0	5585.0	5531.0	5531.0	6035.0	5981.0	5981.0	6035.0	6035.0	5981.0	5981.0	5981.0	5981.0	6704.0	6704.0	5585.0	5531.0	6035.0	5981.0	5981.0	6704.0
L103	Length with optional extended bumper [mm]	-	5585.0	-	-	5585.0	5585.0	-	6035.0	6035.0	-	-	6035.0	6035.0	6035.0	6035.0	6758.0	6758.0	-	5585.0	-	6035.0	6035.0	6758.0
H101C-Ford	Height [mm]	2089.0	2506.0	2089.0	2089.0	2506.0	2506.0	2092.0	2520.0	2759.0	2092.0	2092.0	2520.0	2520.0	2759.0	2759.0	2736.0	2736.0	2123.0	2561.0	2114.0	2558.0	2797.0	2780.0
W103	Width - Excluding Mirrors [mm]	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066.0	2066 / 2126
W410	Width - Including Mirrors [mm]	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0	2474.0
W411	Width - Mirrors Folded [mm]	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0	2114.0
W101C-Ford	Front Track [mm]	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732.0	1732 / 1740
W102C-Ford	Rear Track [mm]	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743.0	1743 / 1670
L104	Front Overhang [mm]	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0	1023.0
L105	Rear Overhang [mm]	1262.0	1208.0	1262.0	1262.0	1208.0	1208.0	1262.0	1208.0	1208.0	1262.0	1262.0	1208.0	1208.0	1208.0	1208.0	1931.0	1931.0	1262.0	1208.0	1262.0	1208.0	1208.0	1931.0
L105	Rear Overhang with optional extended bumper [mm]	-	1262.0	-	-	1262.0	1262.0	-	1262.0	1262.0	-	-	1262.0	1262.0	1262.0	1262.0	1985.0	1985.0	-	1262.0	-	1262.0	1262.0	1985.0
H196	Load Height (Curb) [mm]	717.0	717.0	717.0	717.0	717.0	717.0	731.0	731.0	731.0	731.0	731.0	731.0	731.0	731.0	731.0	707.0	707.0	733.0	733.0	730.0	730.0	730.0	712.0
H508	Side Cargo Door Opening Height [mm]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1260.0	1601.0	1260.0	1601.0	1601.0	1601.0
L508	Side Cargo Door Opening Width - Hinged [mm]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1300.0	1300.0	1300.0	1300.0	1300.0	1300.0
L508	Side Cargo Door Opening Width - Sliding [mm]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1300.0	1300.0	1300.0	1300.0	1300.0	1300.0
H202	Rear Cargo Door Opening Height [mm]	1192.0	1595.0	1192.0	1192.0	1595.0	1595.0	1192.0	1595.0	1834.0	1192.0	1192.0	1595.0	1595.0	1834.0	1834.0	1834.0	1834.0	1258.0	1648.0	1258.0	1648.0	1887.0	1887.0
W203	Rear Cargo Door Opening Width [mm]	1520.0	1520.0	1520.0	1520.0	1520.0	1520.0	1520.0	1520.0	1520.0	1520.0	1520.0	1520.0	1520.0	1520.0	1520.0	1520.0	1520.0	1568.0	1568.0	1568.0	1568.0	1568.0	1568.0
	Interior																							
H61	Head Room - First Row [mm]	1037.0	1320.0	1037.0	1037.0	1320.0	1320.0	1037.0	1320.0	1437.0	1037.0	1037.0	1320.0	1320.0	1437.0	1437.0	1437.0	1437.0	1037.0	1320.0	1037.0	1320.0	1437.0	1437.0
H63	Head Room - Second Row [mm]	-	-	1045.0	1045.0	1417.0	1417.0	-	-	-	1045.0	1045.0	1417.0	1417.0	1656.0	1656.0	-	1656.0	-	-	-	-	-	-
H86	Head Room - Third Row [mm]	-	-	1032.0	1032.0	1417.0	1417.0	-	-	-	1032.0	1032.0	1417.0	1417.0	1657.0	1657.0	-	1657.0	-	-	-	-	-	-
H86-4th	Head Room - Fourth Row [mm]	-	-	-	983.0	-	1417.0	-	-	-	983.0	983.0	1417.0	1417.0	1657.0	1657.0	-	1657.0	-	-	-	-	-	-
H86-5th	Head Room - Fifth Row [mm]	-	-	-	-	-	-	-	-	-	-	969.0	-	1336.0	-	1557.0	-	1557.0	-	-	-	-	-	-
L33	Maximum Leg Room - First Row [mm]	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0	1050.0
L34	Leg Room - First Row [mm]	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0	1009.0
L51	Leg Room - Second Row [mm]	-	-	855.0	855.0	855.0	855.0	-	-	-	855.0	855.0	855.0	855.0	855.0	855.0	-	855.0	-	-	-	-	-	-
L86	Leg Room - Third Row [mm]	-	-	903.0	903.0	903.0	903.0	-	-	-	903.0	903.0	903.0	903.0	903.0	903.0	-	903.0	-	-	-	-	-	-
L86-4th	Leg Room - Fourth Row [mm]	-	-	-	903.0	-	903.0	-	-	-	903.0	903.0	903.0	903.0	903.0	903.0	-	903.0	-	-	-	-	-	-
L86-5th	Leg Room - Fifth Row [mm]	-	-	-	-	-	-	-	-	-	-	903.0	-	903.0	-	903.0	-	903.0	-	-	-	-	-	-
W5	Hip Room - First Row [mm]	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0	1543.0
W6	Hip Room - Second Row [mm]	-	-	1767.0	1767.0	1767.0	1767.0	-	-	-	1767.0	1767.0	1767.0	1767.0	1767.0	1767.0	-	1767.0	-	-	-	-	-	-
W86	Hip Room - Third Row [mm]	-	-	1709.0	1709.0	1709.0	1709.0	-	-	-	1709.0	1709.0	1709.0	1709.0	1709.0	1709.0	-	1709.0	-	-	-	-	-	-
W86-4th	Hip Room - Fourth Row [mm]	-	-	-	1728.0	-	1728.0	-	-	-	1728.0	1728.0	1728.0	1728.0	1728.0	1728.0	-	1728.0	-	-	-	-	-	-
W86-5th	Hip Room - Fifth Row [mm]	-	-	-	-	-	-	-	-	-	-	1728.0	-	1728.0	-	1728.0	-	1728.0	-	-	-	-	-	-
W3	Shoulder Room - First Row [mm]	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0	1724.0
W4	Shoulder Room - Second Row [mm]	-	-	1813.0	1813.0	1813.0	1813.0	-	-	-	1813.0	1813.0	1813.0	1813.0	1813.0	1813.0	-	1813.0	-	-	-	-	-	-
W85	Shoulder Room - Third Row [mm]	-	-	1703.0	1703.0	1703.0	1703.0	-	-	-	1703.0	1703.0	1703.0	1703.0	1703.0	1703.0	-	1703.0	-	-	-	-	-	-
W85-4th	Shoulder Room - Fourth Row [mm]	-	-	-	1722.0	-	1722.0	-	-	-	1722.0	1722.0	1722.0	1722.0	1722.0	1722.0	-	1722.0	-	-	-	-	-	-
W85-5th	Shoulder Room - Fifth Row [mm]	-	-	-	-	-	-	-	-	-	-	1722.0	-	1722.0	-	1722.0	-	1722.0	-	-	-	-	-	-
L202	Cargo Length Front (at Floor) [mm]	3150.0	3150.0	3150.0	3150.0	3150.0	3150.0	3600.0	3600.0	3600.0	3600.0	3600.0	3600.0	3600.0	3600.0	3600.0	4323.0	4323.0	3200.0	3200.0	3650.0	3650.0	3650.0	4373.0
L204	Cargo Length Front (at Belt) [mm]	2924.0	2924.0	2924.0	2924.0	2924.0	2924.0	3374.0	3374.0	3374.0	3374.0	3374.0	3374.0	3374.0	3374.0	3374.0	4097.0	4097.0	2943.0	2943.0	3393.0	3393.0	3393.0	4116.0
W201	Cargo Width Between Wheelhouse [mm]	1364.0	1364.0	1364.0	1364.0	1364.0	1364.0	1364.0	1364.0	1364.0	1364.0	1364.0	1364.0	1364.0	1364.0	1364.0	1364.0	1364.0	1392.0	1392.0	1392.0	1392.0	1392.0	1392 / 1154
H505	Cargo Height Maximum [mm]	1340.0	1718.0	1340.0	1340.0	1718.0	1718.0	1340.0	1718.0	1956.0	1340.0	1340.0	1718.0	1718.0	1956.0	1956.0	1956.0	1956.0	1446.0	1830.0	1446.0	1830.0	2069.0	2069.0
	Cargo Capacity																							
V6	Cargo Volume Behind First Row (SUV/Van)	6357.1	8288.3	6356.0	6357.1	8288.1	8288.3	7260.4	9517.3	10834.0	7260.4	6328.8	9517.3	8582.8	10834.0	9899.6	13079.6	12046.0	6984.6	8925.9	7862.6	10110.6	11447.1	13797.3
V7	Cargo Volume Behind Second Row (SUV/Van)	-	-	4298.4	4298.5	5605.0	5603.9	-	-	-	5182.0	4247.5	6790.4	5855.9	7730.5	6798.9	-	8866.0	-	-	-	-	-	-
V9	Cargo Volume Behind Third Row (SUV/Van)	-	-	2668.0	2667.4	3539.5	3539.6	-	-	-	3525.4	2591.0	4726.1	3791.6	5380.2	4445.7	-	6512.9	-	-	-	-	-	-
V12	Cargo Volume Behind Fourth Row (SUV/Van)	-	-	-	-	-	-	-	-	-	1985.0	1384.7	2658.9	2061.5	3029.9	2429.6	-	5210.3	-	-	-	-	-	-
V13	Cargo Volume Behind Fifth Row (SUV/Van)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2845.8	-	-	-	-	-	-
V14	Cargo Volume - Max (Van)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8071.5	10301.4	8949.5	11486.1	13002.3	15352.5
V15	Cargo Volume - Front Seat (Van)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1086.9	1375.5	1086.9	1375.5	1555.2	1555.2

NOTE — DIMENSIONS ARE METRIC.
(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
138” WB CHASSIS CAB / CUTAWAY



NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
156” WB CHASSIS CAB / CUTAWAY



NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
178” WB CHASSIS CAB / CUTAWAY



NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
DIMENSIONAL DATA
CHASSIS CAB / CUTAWAY

ENGLISH UNITS

Dim Code	TRANSIT: CHASSIS CAB / CUTAWAY	Regular T250 CC/CA SRW	Regular T350 HD CC/CA DRW	Regular T350 HD CC/CA DRW	Long T250 CC/CA SRW	Long T350 CC/CA SRW	Long T350 HD CC/CA DRW	Long T350 HD CC/CA DRW	Super Jumbo T350 HD CC/CA DRW	Super Jumbo T350 HD CC/CA DRW
L101	Wheelbase [in]	138.0	138.0	138.0	155.7	155.7	155.7	155.7	178.0	178.0
L103	Overall Length [in]	223.3	223.3	223.3	241.1	241.1	241.1	241.1	263.4	263.4
W101C	Front Track [in]	68.2	68.5	68.5	68.2	68.2	68.5	68.5	68.5	68.5
W102C	Rear Track [in]	68.6	65.7	65.7	68.6	68.6	65.7	65.7	65.7	65.7
N/A	Rear Axle to End of Frame [in] or Rear Overhang	45.1	45.1	45.1	45.1	45.1	45.1	45.1	45.1	45.1
N/A	Load Height (Loaded) [in]	25.0	24.7	24.3	25.8	25.4	25.6	25.3	24.9	24.6
N/A	Height at Top of Steering Wheel (Loaded) [in]	60.5	59.6	59.4	60.2	60.1	59.2	59.1	60.0	59.9
N/A	Rear Axle Clearance (Loaded) [in]	5.6	5.5	5.5	6.1	5.9	6.1	6.0	5.9	6.0

METRIC UNITS

Dim Code	TRANSIT: CHASSIS CAB / CUTAWAY	Regular T250 CC/CA SRW	Regular T350 HD CC/CA DRW	Regular T350 HD CC/CA DRW	Long T250 CC/CA SRW	Long T350 CC/CA SRW	Long T350 HD CC/CA DRW	Long T350 HD CC/CA DRW	Super Jumbo T350 HD CC/CA DRW	Super Jumbo T350 HD CC/CA DRW
L101	Wheelbase [mm]	3504	3504	3504	3954	3954	3954	3954	4522	4522
L103	Overall Length [mm]	5673	5673	5673	6123	6123	6123	6123	6691	6691
W101C	Front Track [mm]	1732	1740	1740	1732	1732	1740	1740	1740	1740
W102C	Rear Track [mm]	1743	1670	1670	1743	1743	1670	1670	1670	1670
N/A	Rear Axle to End of Frame [mm] or Rear Overhang	1146	1146	1146	1146	1146	1146	1146	1146	1146
N/A	Load Height (Loaded) [mm]	634	627	616	656	645	649	643	633	624
N/A	Height at Top of Steering Wheel (Loaded) [mm]	1537	1513	1510	1529	1526	1503	1500	1523	1521
N/A	Rear Axle Clearance (Loaded) [mm]	141	140	139	155	151	154	153	150	153

TRANSIT
REAR FRAME EXTENSION
CHASSIS CAB / CUTAWAY



NOTE — [ ] DIMENSIONS ARE INCHES.

TRANSIT
BACK OF CAB MOUNTING HOLES
CUTAWAY



NOTE — [ ] DIMENSIONS ARE INCHES.

(Cont'd next page)

TRANSIT
FUEL TANKS
ALL MODELS





GASOLINE FUEL TANK



DIESEL FUEL TANK

TRANSIT
REAR AXLE TRACK DIMENSIONS
SRW & DRW





NOTE — [ ] DIMENSIONS ARE INCHES.

TRANSIT
EXHAUST EXTENSION KIT
CHASSIS CAB / CUTAWAY



NOTE: The upfitter must cut-off rear end of existing longitudinal exhaust pipe in order to properly locate the provided 90° exhaust extension kit.

TRANSIT EXTENDED EXHAUST
GASOLINE ENGINE
ALL WB CHASSIS CAB /CUTAWAY



TRANSIT EXTENDED EXHAUST
DIESEL ENGINE
ALL WB CHASSIS CAB / CUTAWAY

NOTE — [ ] DIMENSIONS ARE INCHES.

TRANSIT
FRONT SURFACE AREA WORKSHEET
CHASSIS CAB / CUTAWAY



A = BOX HEIGHT (INCHES)
B = BOX WIDTH (INCHES)

TO FIND **FRONT SURFACE AREA** (**SQ. INCHES**):
(**A** X **B**) + 1429.7 = _____

TO FIND **FRONT SURFACE AREA** (**SQ. FEET**):
((**A** X **B**) / 144) + 9.93 = _____

Below Frame Shaded Area =
728601 / (25.4 X 25.4) = 1129.3338 SQ. IN.
1129.3338 / (12 X 12) = 7.8426 SQ. FT.

Mirror Shaded Area =
(96882.4 X 2) / (25.4 X 25.4) = 300.3360 SQ. IN.
300.3360 / (12 X 12) = 2.0857 SQ. FT.

Total Shaded Area =
922365.8 / (25.4 X 25.4) = 1429.6698 SQ. IN.
1429.6698 / (12 X 12) = 9.9282 SQ. FT.

SRW TRANSIT CC/CA FRONT SURFACE AREA WORKSHEET

(Cont'd next page)

TRANSIT
FRONT SURFACE AREA WORKSHEET
CHASSIS CAB / CUTAWAY (CONT'D)



A = BOX HEIGHT (INCHES)
B = BOX WIDTH (INCHES)

TO FIND **FRONT SURFACE AREA** (**SQ. INCHES**):
(**A** X **B**) + 1715.6 = _____

TO FIND **FRONT SURFACE AREA** (**SQ. FEET**):
((**A** X **B**) / 144) + 11.91 = _____

Below Frame Shaded Area =
913123.8 / (25.4 X 25.4) = 1415.3447 SQ. IN.
1415.3447 / (12 X 12) = 9.8287 SQ. FT.

Mirror Shaded Area =
(96882.4 X 2) / (25.4 X 25.4) = 300.3360 SQ. IN.
300.3360 / (12 X 12) = 2.0857 SQ. FT.

Total Shaded Area =
1106888.6 / (25.4 X 25.4) = 1715.6808 SQ. IN.
1715.6808 / (12 X 12) = 11.9144 SQ. FT.

DRW TRANSIT CC/CA FRONT SURFACE AREA WORKSHEET

TRANSIT
SEAT H-POINT
ALL MODELS



2-WAY SEATS



MULTI-WAY SEATS

TRANSIT SEATING REFERENCE POINT (SRP)										
Seat Model	Seat Dimensions								SgRP Location	
	A	B	C	D	E	F	G	H	X	Y
2-Way Seats	302 [11.9]	54 [2.1]	449 [17.7]	449 [17.7]	—			—	261 [10.3]	449 [17.7]
4-Way Seats	290 [11.4]	42 [1.7]	477 [18.8]	477 [18.8]	47 [1.9]	295 [11.6]	418 [16.5]	412 [16.2]	261 [10.3]	449 [17.7]
10-Way Seats	293 [11.5]	44 [1.7]	479 [18.9]	479 [18.9]	35 [1.4]	284 [11.2]	400 [15.7]	400 [15.7]	261 [10.3]	449 [17.7]
Seat Track Angle To Top Of Frame = 2.4°										

NOTE — [ ] DIMENSIONS ARE INCHES.

TRANSIT
AIRBAG OCCUPANT PROTECTION ZONES
TYPICAL



DO NOT INSTALL ADDITIONAL COMPONENTS IN THE SHADED AREAS, NOR ALTER OR MODIFY THESE AREAS

TRANSIT OCCUPANT PROTECTION ZONE



TRANSIT OCCUPANT PROTECTION ZONE



TRANSIT OCCUPANT PROTECTION ZONE (TYPICAL)

2018 Transit - Trailer Towing Wiring Harness

Specs > Electrical

Circuit Number	Circuit Description	Color Code
RAT08	Ground	White
CAT17	Park Lamps	Brown
CAT14	Trailer Battery Feed	Orange
CAT19	To Electric Brakes	Dark Blue
CAT09	RH Turn Signal and Stop Lamps	Dark Green
CAT06	LH Turn Signal and Stop Lamps	Yellow
CAT03/CAT16	Trailer Backup Lamps	Grey with Brown Stripe
CBP30	Front Brake Controller Running Lamp Feed/Park Lamp Feed	Yellow with Blue Stripe
CBP40	Rear Brake Controller Running Lamp Feed/Park Lamp Feed	Yellow with Green Stripe
CLS30	Brake Controller Running Lamp Feed/Park Lamp Feed	Violet with White Stripe
CCB08	Vehicle Stop Lamps	Violet with White Stripe
SBB18/SBB17	B+ to Electric Brake Controller	Yellow with Red Stripe

2018 Transit - Trailer Towing Wiring Harness

Specs > Electrical Continued

4-Pin Harness



7-Pin Harness